



TEEGALA KRISHNA REDDY ENGINEERING COLLEGE

(Sponsored by TKR Educational Society, Approved by AICTE, Affiliated by JNTUH)

Medbowli, Meerpet, Saroornagar, Hyderabad-500097

Phone: 040-24092838 Fax: +91-040-24092555

E-mail: tkrec@rediffmail.com Website: www.tkrec.ac.in

Solid Waste



Dust bins at every floor steps



Dust bins on the road side of the College premises

Utilization of cow compost



In our institute the cow dung are utilized in an effective way for the production of gobar gas and it is used for cooking in hostel. So that the LPG gas utilization cost is reduced.

E-Waste Collection Room and disposal



Collection of damaged CPU and monitors in one room



TEEGALA KRISHNA REDDY ENGINEERING COLLEGE

(Sponsored by TKR Educational Society, Approved by AICTE, Affiliated by JNTUH)

Medbowli, Meerpet, Saroornagar, Hyderabad-500097

Phone: 040-24092838 Fax: +91-040-24092555

E-mail: tkrec@rediffmail.com Website: www.tkrec.ac.in

Disposal of E-Waste material



Shekar computer services Ltd borrowing back some unused e- wastes components.

Date : 29—MAY—2013

To
THE PRINCIPAL,
TKREC—(R9) ,
MEDBOWLI , MEERPET ---97

SUB :- 32 unused SMPS is given for SCRAP --- regd.


Respected Sir ,

It is glad to inform you that 32 unused SMPS (SCRAP) is Borrowed back by SHEKAR COPMUTER SERVICES LTD., DSNR. Each SMPS at a cost of Rs. 25/- and net TOTAL for 32 SMPS at Rs. 800/- only .

Thanking You Sir ,




Yours faithfully



29/05/2013
G.RAVINDER


BORROWER NAME :

SHEKAR COMPUTER SERVICES LTD.



29/05/13

SYSTEM—ADMINISTRATOR
TKREC—(R9)



01/06/13

REPAIR STATUS

To,
TEEGALA KRISHNA REDDY COLLEGE
HYDERABAD

Date :04/09/2017

SI No.	Item Description	Job. Id	Repair Status	Remarks
1	TFT MONITOR Model No- V196HQL Serial No- 87C4207 Accessories- 19"ACER WITH:BASE W/O PC,SC	E-1964	OK	1,000
2	TFT MONITOR Model No- ZEB-17A Serial No- Accessories- 17"ZEBRINOIC WITH:BASE W/O PC,SC	E-1965	NR	0
3	TFT MONITOR Model No- V196HQL Serial No- 564207 Accessories- 19"ACER WITH:BASE W/O PC,SC	E-1966	OK	1,000
4	TFT MONITOR Model No- V196HQL Serial No- 8FF4206 Accessories- 19" ACER WITH:BASE W/O PC,SC	E-1967	OK	1,000
5	TFT MONITOR Model No- ZEB-17A Serial No- Accessories- 17" ZEBRONIC W/O PC,SC	E-1968	OK	1,000
6	TFT MONITOR Model No- V196HQL Serial No- 12B8502 Accessories- 19"ACER WITH:BASE W/O PC,SC	E-1969	OK	1,000
7	TFT MONITOR Model No- V196HQL Serial No- B664207 Accessories- 19" ACER WITH:BASE W/O PC,SC	E-1970	OK	900
8	TFT MONITOR Model No- V196HQL Serial No- E8E08502 Accessories- 19" ACER WITH:BASE W/O PC,SC	E-1971	OK	1,000
9	TFT MONITOR Model No- V196HQL Serial No- 5454206 Accessories- 19"ACER WITH:BASE W/O PC,SC	E-1972	OK	1,000
10	TFT MONITOR Model No- ZEB17A Serial No- Accessories- 17"ZEBRONIC WITH:BASE W/O PC,SC	E-1973	PNF	100
11	TFT MONITOR Model No- V196HQL Serial No- 8D78502 Accessories- 19" ACER WITH:BASE W/O PC,SC	E-1974	OK	1,000
12	TFT MONITOR Model No- V196HQL Serial No- 6434207 Accessories- 19:ACER WITH:BASE W/O PC,SC	E-1975	OK	1,000
13	TFT MONITOR Model No- V196HQL Serial No- 4978502 Accessories- 19"ACER WITH:BASE W/O PC,SC	E-1976	OK	800
14	TFT MONITOR Model No- V196HQL Serial No- 69C8502 Accessories- ACER WITH:BASE W/O PC,SC	E-1977	OK	1,000
15	TFT MONITOR			

ri Lokeshwari Nandagiriji Complex, Beside Venkatadri Theatre,
 Stop, Dilsukhnagar, Hyderabad - 500 065. Phone: 66 827 237



Help Desk - 994 994 3535

E-1917

17	TFT MONITOR Model No- L1710 Serial No- CNC830QFVL Accessories- 17"HP WITH:BASE W/O CABLE	E-1955	OK	1,000
18	TFT MONITOR Model No- VI96HQL Serial No- 883420 Accessories- 19" ACER WITH:BASE W/O PC,SC	E-1956	OK	1,000
19	TFT MONITOR Model No- VI96HQL Serial No- 24201 Accessories- ACER 19" BASE W/O PC,SC	E-1957	OK	1,000
20	TFT MONITOR Model No- L1710 Serial No- CNC830RB55 Accessories- 17" HP WITH:BASE W/O PC,SC	E-1958	OK	1,000
21	TFT MONITOR Model No- L1710 Serial No- CNC832RG2D Accessories- 17" HP WITH:BASE W/O PC,SC	E-1959	OK	1,000
22	TFT MONITOR Model No- L1710S Serial No- CNC830QG44 Accessories- 17" HP WITH:BASE W/O PC,SC	E-1960	OK	1,000
23	TFT MONITOR Model No- L1710S Serial No- CNC832RG52 Accessories- 17" HP WITH:BASE W/O PC,SC	E-1961	OK	1,000
24	TFT MONITOR Model No- L1710S Serial No- CNC832RG2P Accessories- 17"HP WITH:BASE W/O PC,SC	E-1962	OK	1,000
25	TFT MONITOR Model No- L1710S Serial No- CNC833QQSX Accessories- 17"WITH:BASE W/O PC,SC	E-1963	IR	1,000
26	TFT MONITOR Model No- VI96HQL Serial No- B604207 Accessories- 19"ACER WITH:BASE W/O PC,SC	E-1950	OK	1,000
27	TFT MONITOR Model No- VI96HQL Serial No- 4848502 Accessories- 19" ACER WITH:BASE W/O PC,SC	E-1951	OK	900
28	TFT MONITOR Model No- L1710 Serial No- 456566-001 Accessories- HP 17" WITH:BASE W/O PC,SC	E-1952	OK	1,000
29	TFT MONITOR Model No- VI96HQL Serial No- 88F44207 Accessories- ACER WITH: 19: BASE W/O CABLES	E-1953	OK	1,000
30	TFT MONITOR Model No- L1710 Serial No- CNC832RGHIP Accessories- 17" WITH: BASE W/O PC,SC	E-1954	IR	900

Note :- Repair Status, OK= Repaired, IR=repaired with Important ReasonNR= Not Repaired, PNF= Problem: Not Found, ER=Estimaation Rejected

Total : Rs.27,600

For Global Technology Services



S.No _____

41000



Maha Electronics Pvt. Ltd.

1ST FLOOR, DE GA TOWERS, 6-3-1085/D/102, RAJBHAVAN ROAD,
SOMAJIGUDA, HYDERABAD-82.
TEL: 040-4476688, 040-23388511/12



SERVICE CALL REPORT

Service Type :

Warranty / Care pack / Contract / Others

Customer Name: T.K.R

Customer Contact Person: ROVINDER

Customer Address: meerpet

H.Y.D

Case Number : 4631519813

Product serial Number : 1NAF4210CG

Product Model Number : DX2480

Product Name : KL9150N

Call Log Date : 29/06 Time: _____

Arrival Date : _____ Time: _____

System Fixed Date : 30/06 Time: _____

Customer Phone No. 9948027514

Issue Description:

No display

Resolution Summary:

Replaced the M/B, tested working fine

Engineer Name K.V. Ramesh Signature: K.V.R.M Date 30/06


Customer Comments:

PRINCIPAL
Tejala Krishna Reddy Engineering College

Medbowli, Meerpet, Sakoor Nagar,

HYDERABAD 500 097.

Overall service experience rating for this case :



Customer Name: G. Parinder Signature: [Signature] Date: 30/06/2011

For any technical query after purchase contact HP remote support at: 1800112267 or <city code> 30306363 and Web Support: <http://www.hp.com/go/instant-support>
Contact HP for Complaints and Compliments at in.ced@hp.com or at +91 80 25041020 (Mon to Fri, 9.00am to 6.00m).
Hard disk related issue and replacement may lead to loss of data. It is advisable for the customer to backup the important files & applications prior to repair activity.

Parts Used / Returned Details:

SO No. / Req ID	Part Number	Part Description	Removed Part SI #	Installed Part SI #	Staff (Def/DO/Good)
<u>S 785037</u>	<u>U80025-01</u>	<u>M/B</u>			<u>Def</u>

TOP POWER® JBS POWER SYSTEMS PVT. LTD.

Ph. : 040- 64547258

65644888

9246881234

Plot No. 14 Part, Pragathi Industrial Area, Bhavani Nagar, Kapra, ECIL Post, Hyderabad-62. A.P., India.

Call Reg. No. _____

SERVICE CALL REPORT

Date 9/3/10

Customer Name & Address TKR Engg

Make : _____

College Meeraput

Model No.: _____

Capacity : 10kVA/192

Contact Person & Mob. No. _____

Sr. No. 29 A0209 ~~105~~ 025

Nature of complaints :

System Under : U/W / AMC / OTHERS

Site Inspection	Installation	Preventive Maintenance	AMC
-----------------	--------------	------------------------	-----

Breakdown	Reinstallation	Pre-Installation	Others
-----------	----------------	------------------	--------

Call Received Dt. :	Call Attended Dt. :	Completed Dt. :
---------------------	---------------------	-----------------

Rootcause of Failure over load tripp problem
Load Relege U.P.S Working

Action taken or Call Pending with reason

If Spares Replaced any

INPUT VOLATE... 9.45..... OUTPUT VOLTAGE... 230... D.C. VOLTAGE... 192.....

INPUT CURRENT..... OUTPUT CURRENT..... D.C. CURRENT.....

BATTERY MAKE BATTERY A.H. 42 DISTILL WATTER LEVEL.....

OUTPUT N--E VOLTS..... AMOUNT :

SERVICE ENGINEER SIGN.
Ranga Reddy
SERVICE ENGINEER NAME

CUSTOMER SIGN. & SEAL
[Signature]
09/03/10



SPARE PART RETURN TAG

Invent

Case ID Number

4631114172

DD/MM/YY

22/06/11

MACHINE MODEL NO

L1710

TECHNICIAN NAME

MEERAMANA RAJU

Service Provider Address:

Narayan Cinema

hp Onsite Hyderabad, Phone No: 040 - 40072513

MACHINE SERIAL NO

CNCF307FM

REPAIR ACTION

Replaced power Board

SERVICE PROVIDER ID

484444

Call Login DD/MM/YY:

PART DETAIL

PART DETAIL	PART LOCATION	DESCRIPTION	PART NUMBER
PART 1	Power Board	Old case L872884P2166	Old (w) 741911H
PART 2		New 1322431P2404	New (w) 741911H
PART 3			
PART 4			
PART 5			

DEFECTIVE PART NO 1

FEB-REV NO.

WORKING PART NO 1

SPARE PART NO.

DEFECTIVE PART NO. 2

ASSEMBLY NO.

WORKING PART NO. 2

TOTAL LITE NO.

CUSTOMER INFORMATION

BENQ MODEL NO.

COMPANY NAME

TKR college of Engineering

CUSTOMER ADDRESS

med bowli meerpet
Hyderabad

CUSTOMER NAME

Ravinder Reddy

CONTACT NO.

99480 27514

SIGNATURE

[Signature]
22/06/11

G. Ravinder
C Sys - Admin

[Signature]
Narayan
22/06/11



SPARE PART RETURN TAG

Invent

23/06/11

Case Number

L1710

MACHINE MODEL NO

CNC P35R016

MACHINE SERIAL NO

SERVICE PROVIDER ID

484444

TECHNICIAN NAME

Mr.

Service Provider Address:

hp Onsite Hyderabad, Phone No: 040-

Replace Power Board. 40072513

REPAIR ACTION

Call Login DD/MM/YY:

PART DETAIL

PART DETAIL	PART LOCATION	DESCRIPTION (CO)	(W) PART NUMBER
PART 1	Power Board	1217309P1747	(W) 7419114
PART 2			
PART 3			
PART 4			
PART 5			

DEFECTIVE PART NO. 1

FEB-REV NO.

WORKING PART NO. 1

SPARE PART NO.

DEFECTIVE PART NO. 2

ASSEMBLY NO.

WORKING PART NO. 2

TOTAL LITE NO.

CUSTOMER INFORMATION

BENQ MODEL NO.

COMPANY NAME

TVR College of Engineering

CUSTOMER NAME

Ravinder Reddy

CONTACT NO

9781027514

SIGNATURE

[Signature]
23/06/2011

CUSTOMER ADDRESS

Medban Meerpet
Hyderabad.

G. Santosh
Sys-Admin

[Signature]
23/06/11



SPARE PART RETURN TAG

Invent

CASE ID/NUMBER

L1710

23/06/11

Mr. Naveen Kumar

MACHINE MODEL NO

MACHINE SERIAL NO

CNC 820 P1 RR.

SERVICE PROVIDER ID

484444

TECHNICIAN NAME

Mr.

Service Provider Address:

hp Onsite Hyderabad, Phone No: 040 -

40072513
Replaced Power Board

REPAIR ACTION

Call Login DD/MM/YY:

PART DETAIL

PART DETAIL	PART LOCATION	New ch. DESCRIPTION	PART NUMBER
PART 1		mechanical support	(W) 741798
PART 2		mechanical support	(W) 741798
PART 3			
PART 4			
PART 5			

DEFECTIVE PART NO. 1

FEB-REV NO.

WORKING PART NO. 1

SPARE PART NO.

DEFECTIVE PART NO. 2

ASSEMBLY NO.

WORKING PART NO. 2

TOTAL LITE NO.

CUSTOMER INFORMATION

BENQ MODEL NO.

COMPANY NAME

TICR College of Engineering

CUSTOMER NAME

Parvinder Reddy

CONTACT NO

99010 27514

SIGNATURE

[Signature]
23/06/11

CUSTOMER ADDRESS

Neelavathi Meesapal
Hyderabad

(G. Parvinder)
Syr. Hyderabad

[Signature]
Naveen
23/06/11



SPARE PART RETURN TAG

Invent

Case ID Number
463024425

DD/MM/YY
23/06/24

MR. Naveen Kumar

TECHNICIAN NAME

Service Provider Address:

hp Onsite Hyderabad, Phone No: 040 - 40072513

REPAIR ACTION

Replaced power Board.

Call Login DD/MM/YY:

MACHINE MODEL NO: L1710

MACHINE SERIAL NO: CN1830QF41

SERVICE PROVIDER ID: 484444

PART DETAIL

PART DETAIL	PART LOCATION	DESCRIPTION	PART NUMBER
PART 1	Power Board	SN: 1408285P0130 (New)	(W) 7415H1H (New)
PART 2		SN: L8724475040 (Old)	(W) 7415H1H (Old)
PART 3			
PART 4			
PART 5			

DEFECTIVE PART NO. 1

WORKING PART NO. 1

DEFECTIVE PART NO. 2

WORKING PART NO. 2

FEB-REV NO.

SPARE PART NO.

ASSEMBLY NO.

TOTAL LITE NO.

CUSTOMER INFORMATION

COMPANY NAME: TRR College of Engineering

CUSTOMER NAME: Ravinder Reddy

CONTACT NO: 9984027514

SIGNATURE: [Signature] 23/06/2024

BENQ MODEL NO.

CUSTOMER ADDRESS: Medhwal Meepal Hyderabad.

(Ravinder Reddy)
By Ravinder Reddy

(Naveen Kumar)
Naveen Kumar
23/06/24